Journal of Wind Engineering and Industrial Aerodynamics

Contents Volume 25 (1986/87)

Vol. 25, No. 1

Scale model verification of pressure differentials and infiltration induced across the walls of a high-rise building
H. Tanaka and Y. Lee (Ottawa, Ont., Canada) 1
Test on the CAARC standard tall building model with a length scale of 1:1000
H. Tanaka and N. Lawen (Ottawa, Ont., Canada) 15
Worst suctions near edges of flat rooftops on low-rise buildings
R.J. Kind (Ottawa, Ont., Canada) 31
Perturbation analysis and measurements of building wakes in a stably stratified turbulent boundary layer
K.M. Kothari, J.A. Peterka and R.N. Meroney (Fort Collins, CO, U.S.A.) 49
Annular air-curtain domes for sports stadia
A.A. Haasz and B. Kamen (Downsview, Ont., Canada) 75
Reliability analysis of concrete chimneys under wind loading
A. Kareem and J. Hseih (Houston, TX, U.S.A.) 93
A formation mechanism of alternating vortices behind a circular cylinder at high Reynolds number
T. Nakagawa (Göttingen, F.R.G.) 113

Vol. 25, No. 2

Approximate aerodynamic analysis for multi-blade Darrieus wind turbines
E.W. Beans (Toledo, OH, U.S.A.) 131
Measures to control vehicle movement at exposed sites during windy periods
C.J. Baker (Nottingham, Gt. Britain) 151
Annual maximum wind speeds from parent distribution functions
R.V. Milford (Pretoria, South Africa) 163
Performance characteristics of a flapwing
A.T. Sayers and A.H. Slack (Rondebosch, South Africa) 179
An experimental investigation of blade element theory for wind turbines. Part 1. Mean flow results
P.D. Clausen, D.M. Piddington and D.H. Wood (Newcastle, N.S.W., Australia) 189
A static pressure probe for use in turbulent three-dimensional flows
P.A. Blackmore (Watford, Gt. Britain) 207
Prediction of the wind-generated pressure distribution around buildings
E.H. Mathews (Pretoria, South Africa) 219
A method of reducing drag and fluctuating side force on bluff bodies
F. Lesage and I.S. Gartshore (Vancouver, B.C., Canada) 229
Discussion
Measurements of extreme drag coefficients of building models by I. Krönke and H. Sockel
R.I. Harris (Bedford, Gt. Britain) 247

Journal of Wind Engineering and Industrial Aerodynamics

Contents Volume 25 (1986/87)

Vol. 25, No. 1

Scale model verification of pressure differentials and infiltration induced across the walls of a high-rise building
H. Tanaka and Y. Lee (Ottawa, Ont., Canada) 1
Test on the CAARC standard tall building model with a length scale of 1:1000
H. Tanaka and N. Lawen (Ottawa, Ont., Canada) 15
Worst suctions near edges of flat rooftops on low-rise buildings
R.J. Kind (Ottawa, Ont., Canada) 31
Perturbation analysis and measurements of building wakes in a stably stratified turbulent boundary layer
K.M. Kothari, J.A. Peterka and R.N. Meroney (Fort Collins, CO, U.S.A.) 49
Annular air-curtain domes for sports stadia
A.A. Haasz and B. Kamen (Downsview, Ont., Canada) 75
Reliability analysis of concrete chimneys under wind loading
A. Kareem and J. Hseih (Houston, TX, U.S.A.) 93
A formation mechanism of alternating vortices behind a circular cylinder at high Reynolds number
T. Nakagawa (Göttingen, F.R.G.) 113

Vol. 25, No. 2

Approximate aerodynamic analysis for multi-blade Darrieus wind turbines
E.W. Beans (Toledo, OH, U.S.A.) 131
Measures to control vehicle movement at exposed sites during windy periods
C.J. Baker (Nottingham, Gt. Britain) 151
Annual maximum wind speeds from parent distribution functions
R.V. Milford (Pretoria, South Africa) 163
Performance characteristics of a flapwing
A.T. Sayers and A.H. Slack (Rondebosch, South Africa) 179
An experimental investigation of blade element theory for wind turbines. Part 1. Mean flow results
P.D. Clausen, D.M. Piddington and D.H. Wood (Newcastle, N.S.W., Australia) 189
A static pressure probe for use in turbulent three-dimensional flows
P.A. Blackmore (Watford, Gt. Britain) 207
Prediction of the wind-generated pressure distribution around buildings
E.H. Mathews (Pretoria, South Africa) 219
A method of reducing drag and fluctuating side force on bluff bodies
F. Lesage and I.S. Gartshore (Vancouver, B.C., Canada) 229
Discussion
Measurements of extreme drag coefficients of building models by I. Krönke and H. Sockel
R.I. Harris (Bedford, Gt. Britain) 247

Vol. 25, No. 3

Optimization of dynamic-pressure-measurement systems. I. Single point measurements
J.D. Holmes and R.E. Lewis (Melbourne, Vic., Australia) 249
Optimization of dynamic-pressure-measurement systems. II. Parallel tube-manifold systems
J.D. Holmes and R.E. Lewis (Melbourne, Vic., Australia) 275
Three-dimensional numerical simulation of air flow around a cubic model by means of large eddy simulation
S. Murakami, A. Mochida (Tokyo, Japan) and K. Hibi (Shimizu, Japan) 291
The implications for extreme gust estimations of the variable frequencies of directional winds. 1. Theoretical considerations
W.W. Moriarty (Melbourne, Vic., Australia) 307
The implications for extreme gust estimations of the variable frequencies of directional winds. 2. Observations
W.W. Moriarty (Melbourne, Vic., Australia) 319
A new tubing system for the measurement of fluctuating pressures
P. Gerstoft and S.O. Hansen (Lyngby, Denmark) 335
Pressure fields from aircraft and localized severe weather as building design parameters
A.J. Bedard, Jr. (Boulder, CO, U.S.A.) and R.K. Cook (Washington, DC, U.S.A.) 355
The effect of aerodynamic interference on the dynamic response of prismatic structures
A. Kareem (Houston, TX, U.S.A.) 365
Information 373